

Global Scientific and Academic Research Journal of Education and literature.
ISSN: 2583-7966 (Online)
Frequency: Monthly
Published By GSAR Publishers
Journal Homepage Link- https://gsarpublishers.com/gsarjel-home-page/

Constitutional Homeopathic Management of Adult-Onset Food Allergy with Respiratory and Dermatological Manifestations: A Case Study

By

Prof.Dr. Ruchi Wadhwa (Biswas)[1], Prof.Dr. Vijay Kumar Pushkar[2], Prof. Dr. Rinku Bishwas[3], Dr. Nikita Bhatia[4], Dr Chandramani Singh[5]

[1]*Professor and HOD, Department of Forensic Medicine and Toxicology, State National Homoeopathic Medical College and Hospital, Lucknow(UP)
[2]Principal-State National Homoeopathic Medical College and Hospital, Lucknow(UP)
[3]Professor and HOD- Department of Pathology & Microbiology, State Lal Bahadur Shastri Homoeopathic Medical College and Hospital, Praygraj(UP)
[4]Assistant Professor- Department of Materia Medica, Sri Ganganagar Homoeopathic Medical College,Hospital and Research Institute, Tantia University, Sri Ganganagar(Raj.)
[5]Assistant Professor-Department of Practice of Medicine ,State Lalbahadur shastri Homoeopathic Medical College and Hospital, Praygraj(UP)

Article History

Received: 15/10/2026
Accepted: 21/10/2026
Published: 23/10/2026

Vol – 4 Issue– 10

PP: - 01-04

Abstract

Background: *Adult-onset food allergies present complex clinical challenges, often manifesting across multiple organ systems. While conventional medicine relies primarily on allergen avoidance and emergency rescue medications, homeopathy offers an individualized, constitutional approach to downregulate immune hypersensitivity.*

Patient: *A 44-year-old male presenting with chronic urticaria, angioedema, and allergic asthma triggered by dietary exposures (specifically peanuts and hidden soy derivatives).*

Intervention: *Individualized homeopathic treatment consisting of acute symptom management followed by deep-acting chronic constitutional prescribing.*

Outcomes: *Significant reduction in the frequency and severity of both dermatological and respiratory flare-ups, improved tolerance to accidental minor exposures, and a marked reduction in key laboratory markers of type I hypersensitivity.*

Keywords*: Immune hypersensitivity, Individualized homeopathic treatment, chronic miasmatic state, food-induced allergic reactions.*

Introduction

Food allergies in adults aged 30 to 60 are increasingly prevalent. Unlike childhood allergies, which are often outgrown, adult-onset food allergies tend to be persistent and frequently present with systemic multi-organ involvement. In homeopathy, these concurrent expressions across the skin (dermatological) and lungs (respiratory) are viewed not as isolated conditions, but as a unified manifestation of an underlying constitutional imbalance or chronic miasmatic state. This case study demonstrates the holistic evaluation and successful management of an adult male suffering from food-induced allergic asthma and urticaria, verified by clinical laboratory markers.

Patient Profile & Clinical History

Demographics: A 44-year-old male, working as a corporate accountant, presented with a three-year history of worsening allergic reactions.ChiefComplaints:

1. Dermatological: Recurrent episodes of violent, stinging urticaria (hives) with angioedema of the lips and eyelids. The skin felt intensely hot, swollen, and itchy, exacerbated significantly by heat and warm rooms.
2. Respiratory: Paroxysmal bouts of dyspnoea (shortness of breath), dry wheezing, and a suffocative cough. The patient described a sensation

*Corresponding Author: Prof.Dr. Ruchi Wadhwa (Biswas)

This work is licensed under a Creative Commons Attribution-NonCommercial 4.0 International License.

of intense constriction in the chest, mimicking acute asthma.

Trigger Factors: Symptoms consistently escalated within 30 to 60 minutes of consuming peanuts or foods cross-contaminated with soy products.

Baseline Diagnostic Reports:
Prior to commencing homeopathic intervention, standard immunological assays were ordered to establish an objective clinical baseline. The results confirmed a highly heightened state of type I hypersensitivity.

Table 1: Allergic Biomarkers Baseline vs. Month 6

Laboratory Test	Patient Baseline Value	Month 6 Post-Treatment	Standard Reference Range	Clinical Interpretation
Total Serum IgE	**480 IU/mL**	**160 IU/mL**	< 100 IU/mL	Markedly Elevated → Near Normal
Absolute Eosinophil Count (AEC)	**620 cells/µL**	**195 cells/µL**	30–350 cells/µL	Severe Eosinophilia → Normalized
Peanut-Specific IgE (sIgE)	**18.5 kU/L**	**3.2 kU/L**	< 0.35 kU/L	Class 4 (Very High) → Class 2 (Mod)

Case Analysis via Synthesis Repertory
The patient's symptoms were evaluated and converted into formal homeopathic rubrics utilizing the Synthesis Repertory (Essential Edition). The following precise rubrics were selected for the case totality:

Rubric (Synthesis Repertory Chapters)	Lycopodium	Apis mel.	Arsenicum alb.	Nux vomica
1. MIND - FASTIDIOUS	3	1	3	3
2. MIND - ANXIETY - future, about	2	-	3	2
3. RESPIRATION - ASTHMATIC - food; after	2	-	2	3
4. RESPIRATION - SUFFOCATIVE - attacks	2	2	3	2
5. SKIN - ERUPTIONS - urticaria - stinging	1	3	2	-
6. SKIN - ERUPTIONS - urticaria - warmth - agg.	1	3	1	1

*Corresponding Author: Prof.Dr. Ruchi Wadhwa (Bi[illegible]as)
This work is licensed under a Creative Commons Attribution-NonCommercial 4.0 International License.

7. GENERALS - AFTERNOON - 16 h - agg.	3	1	1	1

Synthesis Analysis: While Arsenicum album shared a high numerical score due to its high-grade fastidiousness and respiratory suffocation, it failed to adequately cover the localized skin modality (worse from warmth—Arsenicum skin symptoms are typically ameliorated by warmth). Apis mellifica emerged as the absolute simillimum for the localized acute cutaneous symptoms. However, Lycopodium clavatum uniquely anchored the systemic case totality, addressing the precise 16 h (4 PM) timeline modality, post-food asthma rubrics, and underlying personality structure.

Therapeutic Intervention & Management Strategy

Phase 1: Acute Management

During an acute exacerbation featuring prominent lip swelling, intense stinging hives, and mild respiratory wheezing, the patient was prescribed:

- Remedy: Apis mellifica 30C
- Posology: Dissolved in water, administered every 15 to 30 minutes for up to 4 doses until symptoms stabilized.
- Clinical Rationale: Guided by the localized Synthesis rubrics: SKIN - ERUPTIONS - urticaria - stinging and warmth agg., where Apis acts as a leading 3-degree remedy.

Phase 2: Chronic Constitutional Treatment

Once the acute crisis subsided, a deep-acting remedy was required to address the patient's underlying chronic susceptibility and alter his hyper-reactive immune state. Based on the Synthesis repertorisation table, the primary constitutional remedy selected was:

- Remedy: Lycopodium clavatum 200C
- Posology: A single dose given once every two weeks during periods of baseline health, monitored closely over a six-month period.

Follow-Up and Objective Outcomes

- Month 1–2: The patient reported a notable decrease in the intensity of the stinging skin lesions. Acute respiratory tightness occurred less frequently. When mild hives did appear due to suspected cross-contamination, a single dose of Apis 30C resolved the symptoms within an hour, eliminating the need for rescue conventional antihistamines.
- Month 3–4: Skin manifestations completely cleared. The patient's breathing remained stable, with no nocturnal asthma episodes reported. His reliance on a conventional corticosteroid inhaler was successfully tapered off under clinical supervision.
- Month 6: Follow-up blood work showed marked improvement across all tracking metrics. Total Serum IgE dropped significantly to 160 IU/mL, AEC normalized perfectly to 195 cells/µL, and Peanut-Specific sIgE dropped down to 3.2 kU/L (Class 2 moderate response). The patient experienced minor accidental cross-contamination in Month 6, showing only transient itching that resolved in 20 minutes without acute clinical distress.

Discussion & Clinical Takeaways

1. Precision of the Synthesis Repertory: Utilizing exact rubrics like RESPIRATION - ASTHMATIC - food; after highlights how homeopathy identifies the exact organ system links that conventional medicine often treats as separate comorbidities.
2. Addressing the Skin-Lung Nexus: In homeopathy, the suppression of skin symptoms can sometimes drive pathology deeper into the respiratory system. By treating the patient constitutionally, both the dermatological (urticaria) and respiratory (asthma) expressions were resolved simultaneously, demonstrating a true healing response moving from within outward.
3. Correlation with Objective Data: The down-regulation of Total IgE, specific IgE, and AEC indicates that constitutional individualized remedies can influence systemic immunological pathways, lowering the cellular reactivity responsible for type I hypersensitivity reactions.

Conclusion

This case study demonstrates that individualized homeopathic treatment, combining acute remedies like Apis mellifica with deeply acting constitutional medicines like Lycopodium, can effectively mitigate both the respiratory and dermatological symptoms associated with adult-onset food allergies, backed by clear improvements in laboratory biomarkers.

Bibliography

1. Singh A., Yadav M. Homeopathic approach to food allergy. International Journal of Homoeopathic Sciences, 2023;7(1):495–500. DOI: 10.33545/26164485.2023.v7.i1h.796
2. Homeopathic Approach to Food Allergy. International Journal of Research Publication and Reviews, V6 Issue 2.
3. Anjali S., Anagha S.M. An Observational Prospective Study on Effectiveness of Homoeopathic Management in Food Allergy – A Symptomatological Approach. IJSHR, 2023.
4. Wanage N.A., Huldah M. Exploring the Scope of Homoeopathy in Food Allergy: A Holistic Overview. IJCRT, 2024. Excellence of Homeopathic Medicine in Food Allergy. International Journal of Trend in Scientific Research and Development, 2024.

*Corresponding Author: Prof.Dr. Ruchi Wadhwa (Bi[illegible]as)

This work is licensed under a Creative Commons Attribution-NonCommercial 4.0 International License.

5. Food Allergies and Homoeopathy: A Narrative Review. Journal of Drug Delivery and Therapeutics.
6. Abbas M., Moussa M., Akel H. Type I Hypersensitivity Reaction. StatPearls, 2024.
7. Manea I., Ailenei E., Deleanu D. Overview of food allergy diagnosis. Clujul Med, 2016;89(1):5–10.
8. Hahnemann S. Organon of Medicine, 6th Edition. B. Jain Publishers.
9. Murphy R. Homeopathic Medical Repertory, 2nd Edition. Indian Books & Periodical Publishers.
10. Schroyens F. Repertorium Homeopathicum Syntheticum, Edition 9.1.
11. Kent J.T. Lectures on Homoeopathic Philosophy and Repertory of the Homoeopathic Materia Medica.
12. Boericke W. Pocket Manual of Homoeopathic Materia Medica & Repertory. B. Jain Publishers.
13. Allen H.C. Keynotes and Characteristics. B. Jain Publishers.

*Corresponding Author: Prof.Dr. Ruchi Wadhwa (Biswas)

This work is licensed under a Creative Commons Attribution-NonCommercial 4.0 International License.